



Topcat Metrology Ltd

"Looking behind the measurement"

www.topcatmetrology.com



Bibliography for the Prod range of Algometers – November 2015

- poster Dixon MJ, PM Taylor PM (2008) Validation of a hand-held dual thermal and mechanical nociceptive threshold testing device. *Proceedings of the Association of Veterinary Anaesthetists*, Barcelona, October 2008 85
- Dixon MJ, Taylor PM, Slingsby LS, Hoffmann MV, Kästner SBR, Murrell J (2010) Development of a small, silent, low friction, linear actuator for mechanical nociceptive testing in veterinary research. *Laboratory Animals* 44: 247-253 doi:10.1258/la.2010.009080
- Eichenberg A, Tuensmeyer J, Kaestner S (2011) Thermal and mechanical nociception after tramadol with and without naloxone in dogs. *Proceedings of the ACVA*, September
- E. Fierheller, K. Orsel, J. Paterson, R. Mortier, J. De Buck, N. Caulkett (2011) Evaluation of force algometry as an objective measure of post-operative pain associated with hot iron disbudding in calves given a local anaesthetic, with or without meloxicam. *Proceedings of the AVA Liverpool*, September. 24
- Slingsby LS, Murrell JC, Taylor PM (2012) Buprenorphine in combination with naloxone at a ratio of 15:1 does not enhance antinociception from buprenorphine in healthy cats. *The Veterinary Journal* 192, 523-524
- Bortolami E, C Murrell JC, S Slingsby LS (2012) Methadone in combination with acepromazine as premedication prior to neutering in the cat *Veterinary Anaesthesia and Analgesia* doi:10.1111/j.1467-2995.2012.00736.x
- Nalon E, Maes D, Devleeschauwer B, Millet S, Van Riet M, Janssens G, Tuytens F (2012) Assessment of mechanical nociception thresholds in lame versus non-lame sows with two methods ESPHM Congress, Bruges, April.
- poster Taylor PM, Dixon MJ (2012) A review of mechanical nociceptive threshold data in eight mammalian species. *Proceedings of the WCVA*, Capetown, September 2012
- poster Dixon MJ, Taylor PM (2012) The relationship between probe tip diameter and mechanical nociceptive threshold. *Proceedings of the WCVA*, Capetown, September 2012
- Nalon E, Maes D, Piepers S, van Riet MM, Janssens GP, Millet S, Tuytens FA (2013) Mechanical nociception thresholds in lame sows: evidence of hyperalgesia as measured by two different methods. *The Veterinary Journal* 198: 386-390. Doi: 10.1016/j.tvjl.2013.08.016
- Ambros B, Duke T (2013) Effect of low dose rate ketamine infusions on thermal and mechanical thresholds in conscious cats. *Veterinary Anaesthesia & Analgesia* 40: 76-82 doi:10.1111/vaa.12057
- Hunt JR, Grint NJ, Taylor PM, Murrell JC (2013) Sedative and analgesic effects of buprenorphine, combined with either acepromazine or dexmedetomidine, for premedication prior to elective surgery in cats and dogs. *Veterinary Anaesthesia & Analgesia* 40: 297-307. doi: 10.1111/vaa.12003
- Hunt JR, Slingsby LS, Murrell JC (2014) The effects of an intravenous bolus of dexmedetomidine following extubation in a mixed population of dogs undergoing general anaesthesia and surgery *The Veterinary Journal* 200:133-139. doi: 10.1016/j.tvjl.2014.01.015
- Porters N, Bosmans T, Debille M, de Rooster H, Duchateau L, Polis I (2014) Sedative and antinociceptive effects of dexmedetomidine and buprenorphine after oral transmucosal or intramuscular administration in cats. *Veterinary Anaesthesia & Analgesia* 41: 90-96 doi: 10.1111/vaa.12076
- Musk GC, Murdoch FR, Tuke J, Kemp MW, Dixon MJ, Taylor PM (2014) Thermal and Mechanical nociceptive threshold testing in pregnant sheep, *Veterinary Anaesthesia & Analgesia*. 41: 305-311. doi: 10.1111/vaa.12103
- Porters et al, (2014) Prepubertal gonadectomy in cats: different injectable anaesthetic combinations and comparison with gonadectomy at traditional age. *Journal of Feline Medicine and Surgery* 17: 458-67. doi:10.1177/1098612X14546919

Topcat Metrology Ltd

Slingsby L et al (2015) Effect of intramuscular methadone on pharmacokinetic data and thermal and mechanical nociceptive thresholds in the cat. *Journal of Feline Medicine and Surgery*. Online First Sept 24
doi: 10.1177/1098612X15605164

Schutter AF, Tünsmeier J, Kastner SBR (2015), Influence of metamizole on 1) minimal alveolar concentration of sevoflurane in dogs and 2) on thermal and mechanical nociception in conscious dogs. *Veterinary Anaesthesia & Analgesia* Epub Early View Jul 31. doi: 10.1111/vaa.12289

Nalon E, Maes D, Piepers S, Taylor PM, van Riet MM, Janssens GP, Millet S, Tuytens FA (2015) Factors affecting mechanical nociceptive thresholds in healthy sows. *Veterinary Anaesthesia & Analgesia* Epub Early View Oct 15 doi:10.1111/vaa.12313