



Topcat Metrology Ltd



"Looking behind the measurement"

www.topcatmetrology.com

Bibliography – September 2025

(** key stages of development; **thermal**, **mechanical**, **thermal & mechanical**, **MouseMet & RatMet**

Posters available: Superscript ^{poster};

2002

**Dixon MJ, Taylor PM & Robertson SA (2002) A thermal threshold testing device for evaluation of analgesics in cats. *Research in Veterinary Science* 72, 205-210

Robertson S, Taylor P, Davies W Dixon M (2002), The effect of lidocaine and ketamine on thermal thresholds in cats. *Veterinary Anaesthesia and Analgesia*, 29: 95-96.

2003

Robertson S, Lascelles B & Taylor P (2003), Effect of low-dose ketamine on thermal thresholds in cats. *Veterinary Anaesthesia and Analgesia*, 30: 109-109

Robertson SA, PM Taylor PM, BDX Lascelles, BDX, Dixon MJ (2003). Analgesia in the cat: effects of buprenorphine, butorphanol and morphine on thermal thresholds. *Veterinary Record* 153, 462-465

2004

Lascelles BD, Robertson SA (2004) Use of thermal threshold response to evaluate the antinociceptive effects of butorphanol in cats. *American Journal of Veterinary Research* 65, 1085-1089

Lascelles BD, Robertson SA (2004) Antinociceptive effects of hydromorphone, butorphanol, or the combination in cats. *Journal of Veterinary Internal Medicine* 18, 190-195

Wegner K, Robertson SA, Kollias-Baker C, Sams RA, Muir WW 3rd (2004) Pharmacokinetic and pharmacodynamic evaluation of intravenous hydromorphone in cats. *Journal of Veterinary Pharmacology and Therapeutics* 27, 329-336

Spiecker-Hauser U (2004) Investigation of flupirtine in comparison with analgesic and sedative agents in a feline thermal pain model. Dissertation for Dr.med vet. Tierärztliche Hochschule Hannover, Germany

2005

Robertson SA, Taylor PM, Sear LW, Keuhnel G (2005) Relationship between plasma concentrations and analgesia after intravenous fentanyl and disposition after other routes of administration in cats. *Journal of Veterinary Pharmacology and Therapeutics* 28, 87-93

Robertson SA, Taylor PM, Sear JW, Lascelles BDX (2005) PK-PD modeling of buprenorphine in cats: intravenous and oral transmucosal administration. *Journal of Veterinary Pharmacology and Therapeutics* 28, 453-460

Robertson, S.A., Sanchez, L.C., Merritt, A.M. and Doherty, T.J. (2005) Effect of systemic lidocaine on visceral and somatic nociception in conscious horses. *Equine Veterinary Journal* 37, 122-127

2006

Steagall PVM, Carnicelli P, Taylor PM, Brondani JT, Luna SPL, Dixon MJ, Ferreira TH (2006) Effects of subcutaneous methadone, morphine, buprenorphine or saline on thermal and pressure thresholds in cats. *Journal of Veterinary Pharmacology and Therapeutics* 29, 531-537

Pypendop BH, Ilkiw JE, Robertson SA (2006) Effects of intravenous administration of lidocaine on the thermal threshold in cats. *American Journal of Veterinary Research* 67, 16-20

2007

**Dixon MJ, Taylor PM, Slingsby LA, Waterman-Pearson AE (2007) Development of a remote controlled thermal threshold testing system for the cat. Presented at the 9th World Congress of Veterinary Anaesthesiology. Santos, Brazil. September 2006. *Veterinary Anaesthesia and Analgesia* 34: A70-71

**Dixon MJ, Taylor PM, Steagall PVM, Brondani JT, Luna SPL (2007) Development of a pressure nociceptive threshold testing device for evaluation of analgesics in cats. *Research in Veterinary Science* 82, 85-92
doi:10.1016/j.rvsc.2006.03.010

Wegner K, Robertson SA (2007) Dose-related thermal antinociceptive effects of intravenous hydromorphone in cats. *Veterinary Anaesthesia and Analgesia* 34, 132-138

Steagall PVM, Taylor PM, Brondani JT, Luna SPL, Dixon MJ, Ferreira TH (2007) The effects of buprenorphine, carprofen and saline on thermal and mechanical nociceptive thresholds in cats. *Veterinary Anaesthesia and Analgesia* 34: 344-350 doi:10.1111/j.1467-2995.2006.00331.x

**Taylor PM, Steagall PVM, Dixon MJ, Ferreira TH, Luna SPL (2007) Carprofen and buprenorphine prevent hyperalgesia in a model of inflammatory pain in cats. *Research in Veterinary Science* 83: 369-375.
doi:10.1016/j.rvsc.2007.01.007

Murrell, JC, Robertson SA, Taylor PM, McCown JL, Bloomfield M and Sear JW (2007) Use of a transdermal matrix patch of buprenorphine in cats: preliminary kinetic and dynamic data. *Veterinary Record* 160: 578-583

Taylor PM, Robertson SA, Dixon MJ (2007) Evaluation of the use of thermal thresholds to investigate NSAID analgesia in a model of inflammatory pain in cats. *Journal of Feline Medicine and Surgery* 9: 313-318
doi: 10.1016/j.jfms.2007.03.008

Johnson JA, Robertson SA, Pypendop BH (2007) Antinociceptive effects of butorphanol, buprenorphine, or both, administered intramuscularly in cats. *American Journal of Veterinary Research* 68:699-703

Sanchez, L.C., Robertson, S.A., Maxwell, L.K., Zientek, K. and Cole, C. (2007) Effect of fentanyl on visceral and somatic nociception in conscious horses. *Journal of Veterinary Internal Medicine* 21: 1067-1075

2008

Love EJ, Taylor PM, Murrell J, Dixon MJ, Whay HR, Waterman-Pearson AE (2008) Modification of a feline thermal testing threshold system for use in horses. Presented at the Association of Veterinary Anaesthetists Conference, Leipzig, September 2007. *Veterinary Anaesthesia and Analgesia* 35: A10

Steagall PVM, Taylor PM, Brondani JT, Luna SPL, Dixon MJ (2008) Antinociceptive effects of tramadol and acepromazine in cats. *Journal of Feline Medicine and Surgery* 10: 24-31. doi:10.1016/j.jfms.2007.06.009

Slingsby LS, Taylor PM (2008) Thermal antinociception after dexmedetomidine administration in cats: a dose-finding study. *Journal of Veterinary Pharmacology and Therapeutics* 31: 135-42
doi:10.1111/j.1365-2885.2007.00931.x

Pypendop BH, Siao KT, Pascoe PJ, Ilkiw JE (2008) Effects of epidurally administered morphine or buprenorphine on the thermal threshold in cats. *American Journal of Veterinary Research* 69: 983-7

poster Dixon MJ, PM Taylor PM (2008) Validation of a hand-held dual thermal and mechanical nociceptive threshold testing device. *Proceedings of the Association of Veterinary Anaesthetists, Barcelona, October 2008* 85

poster Dixon MJ, Taylor PM, Murrell JC, Love EJ (2008) Development of a multispecies wireless mechanical threshold testing system. *Proceedings of the Association of Veterinary Anaesthetists, Barcelona, October 2008* 97

Sanchez, L.C., Elfenbein, J.R. and Robertson, S.A. (2008) Effect of acepromazine, butorphanol, or N-butylscopolammonium bromide on visceral and somatic nociception and duodenal motility in conscious horses. *American Journal of Veterinary Research* 69: 579-585

2009

Slingsby LS, Taylor PM (2009) Pilot dose response study for intravenous buprenorphine using thermal nociceptive threshold testing in cats. Presented at the Association of Veterinary Anaesthetists Conference, Bristol, April 2008. *Veterinary Anaesthesia and Analgesia* 36: A9-10

Elfenbein et al (2009) Effect of detomidine on visceral and somatic nociception and duodenal motility in conscious adult horses. *Veterinary Anaesthesia and Analgesia* 36, 162-172

Pypendop BH, Siao KT, Ilkiw JE (2009) Effects of tramadol hydrochloride on the thermal threshold in cats. *American Journal of Veterinary Research* 70, 1465-70

Brosnan RJ, Pypendop BH, Siao KT, Stanley SD (2009) Effects of remifentanyl on measures of anesthetic immobility and analgesia in cats. *American Journal of Veterinary Research* 70: 1065-1071

Slingsby LS, Taylor PM (2009) Thermal antinociception after dexmedetomidine administration in cats: a comparison between intramuscular and oral transmucosal administration. *Journal of Feline Medicine and Surgery* 11: 829-834 doi:10.1016/j.jfms.2009.03.009

Steagall PVM, Mantovani FB, Taylor PM, Dixon MJ, Luna SPL (2009) Dose related antinociceptive effects of intravenous buprenorphine in cats. *The Veterinary Journal* 182: 203-209 doi:10.1016/j.tvjl.2008.06.017

poster Slingsby LS, Taylor PM (2009) Thermal and mechanical nociceptive thresholds in cats after administration of buprenorphine 10 mcg kg⁻¹, naloxone 0.67 mcg kg⁻¹ or their 15:1 combination. Presented at the World Congress of Veterinary Anaesthesia, Glasgow, September 2009. *Veterinary Anaesthesia & Analgesia* 37, A61

2010

Hoffmann MV, Kastner SBR, Kramer S (2010) Thermal and mechanical threshold testing in Beagle dogs, baseline reproducibility and the influence of sedation and opioid analgesia. Presented to the Association of Veterinary Anaesthetists, March 2010, Cambridge. *Veterinary Anaesthesia & Analgesia* 37, A6-7 doi:10.1111/j.1467-2995.2010.00550a.x

Pypendop BH, Siao KT, Ilkiw JE (2010) Effect of gabapentin on the thermal threshold in cats. Presented at the World Congress of Veterinary Anaesthesia, Glasgow, September 2009. *Veterinary Anaesthesia & Analgesia* 37, A59

poster Dixon MJ & Taylor PM (2010) Refinement of a thermal threshold probe to prevent burns. Presented at the World Congress of Veterinary Anaesthesia, Glasgow, September 2009. *Veterinary Anaesthesia & Analgesia* 37, A87

Slingsby LA, Taylor PM, Murrell JM (2010) Combination of dexmedetomidine with buprenorphine enhances the antinociceptive effect to a thermal stimulus in the cat compared to either agent alone. *Veterinary Anaesthesia and Analgesia* 37, 162-170

** Dixon MJ, Taylor PM, Slingsby LS, Hoffmann MV, Kästner SBR, Murrell J (2010) Development of a small, silent, low friction, linear actuator for mechanical nociceptive testing in veterinary research. *Laboratory Animals* 44, 247-253 doi:10.1258/la.2010.009080

Pypendop BH, Siao KT, Ilkiw JE (2010) Thermal antinociceptive effect of orally administered gabapentin in healthy cats. *American Journal of Veterinary Research* 71, 1027-32

K Wegner K, Soma LR, Ippolito M, C. E. Uboh CE (2010) Validation of a wireless thermal and mechanical nociceptive testing device in horses. *Proceedings of the 18th International Conference of Racing Analysts and Veterinarians*. June 2010, New Zealand

2011

Clark C, Mendl M, Jamieson J, Arnone A, Waterman-Pearson A, Murrell JC (2011) Do psychological and physiological stressors alter the acute pain response to castration and tail docking in lambs? *Veterinary Anaesthesia & Analgesia* 38, 134–145 doi:10.1111/j.1467-2995.2011.00594.x

Niyom S, Mama KR, Rezende ML (2011) Repeatability of thermal and mechanical nociceptive threshold testing devices in dogs. Presented at the Association of Veterinary Anaesthetists Conference, Bari, April 2011. *Veterinary Anaesthesia & Analgesia* 38, A17. 1–35. doi:10.1111/j.1467-2995.2011.0647a.x

Pypendop B, Brosnan R, Ilkiw J (2011) Use of naltrexone to antagonize high doses of remifentanyl in cats: a dose-finding study. Proceedings of the ACVA, September 2011

Eichenberg A, Tuensmeyer J, Kaestner S (2011) Thermal and mechanical nociception after tramadol with and without naloxone in dogs. Proceedings of the ACVA, September 2011

E. Fierheller, K. Orsel, J. Paterson, R. Mortier, J. De Buck, N. Caulkett (2011) Evaluation of force algometry as an objective measure of post-operative pain associated with hot iron disbudding in calves given a local anaesthetic, with or without meloxicam. Presented at the Association of Veterinary Anaesthetists Conference, Liverpool, September 2011. (Proceedings page 24)

Miller AL, Leach MC, Dixon MJ, Scotto di Perrotolo M, Roughan NJV, Flecknell PA, Taylor PM (2011) Evaluation of a new electronic von Frey system for pre and post surgical measurement of mechanical thresholds in mice. Presented at the Association of Veterinary Anaesthetists Conference, Liverpool, September 2011. (Proceedings page 33)

Grint NJ (2011) A donkey is not a horse; developing nociceptive threshold testing in a new species. Presented to the Association of Veterinary Anaesthetists, Liverpool, September 2011. (Proceedings 19-21)

Love EJ, Taylor PM, Murrell J, Whay HR (2011) Effects of acepromazine, butorphanol and buprenorphine on thermal and mechanical nociceptive thresholds in horses. Equine Veterinary Journal 44, 221-225. doi: 10.1111/j.2042-3306.2011.00412.x.

Pypendop BH, Brosnan RJ, Ilkiw JE (2011) Use of naltrexone to antagonize high doses of remifentanyl in cats: a dose-finding study. Vet Anaesth Analg 38, 594-597

2012

Hoffmann MV, Beate S, Kastner SBR, Kietzmann M, Kramer S (2012) Contact heat thermal threshold testing in beagle dogs: baseline reproducibility and the effect of acepromazine, levomethadone and fentanyl. BMC Veterinary Research 8: 206

Polson S, Taylor PM, Yates D (2012) Analgesia after feline ovariohysterectomy under midazolam-medetomidine-ketamine anaesthesia with buprenorphine or butorphanol, and carprofen or meloxicam: a prospective, randomised clinical trial. Journal of Feline Medicine and Surgery 14, 553-559. doi: 10.1177/1098612X12444743 jfms.com

Slingsby LS, Murrell JC, Taylor PM (2012) Buprenorphine in combination with naloxone at a ratio of 15:1 does not enhance antinociception from buprenorphine in healthy cats. The Veterinary Journal 192, 523-524

Siao KT, Pypendop BH, Escobar A, Stanley D, Ilkiw JE (2012) Effect of amantadine on oxymorphone-induced thermal antinociception in cats. J vet. Pharmacol Therap 35, 169-174. doi: 10.1111/j.1365-2885.2011.01305.x.

Grint NJ, Beths T, Yvorchuk K, Taylor P, Dixon M, Whay HR & Murrell JC (2012) Preliminary evaluation of a colo-rectal distension model for visceral nociceptive threshold testing in the donkey. Presented at the Association of Veterinary Anaesthetists, Davos, March 2012. Veterinary Anaesthesia & Analgesia 40, A1. doi:10.1111/j.1467-2995.2012.12001a.x

Poller C, Hopster K, Rohn K & Kästner SBR (2012) Thermal threshold testing for standardized assessment of nociception in horses- comparison between different stimulation sites and acepromazine alone or combined with buprenorphine. Presented to the Association of Veterinary Anaesthetists, March 2012, Davos. Veterinary Anaesthesia & Analgesia 40, A6-7. doi:10.1111/j.1467-2995.2012.12001a.x

Ambros B, Duke-Novakovski T, Dowling P (2012) Pharmacokinetics and pharmacodynamics of a 5 µg kg⁻¹ hour⁻¹ fentanyl infusion in conscious cats. Presented to the Association of Veterinary Anaesthetists, March 2012, Davos. Veterinary Anaesthesia & Analgesia 40, A16-17. doi:10.1111/j.1467-2995.2012.12001a.x

Porters N, Bosmans T, Debille M, de Rooster H, Duchateau L, Polis I (2012) Oral transmucosal and intramuscular administration of dexmedetomidine and buprenorphine in healthy adult cats. Presented to the Association of Veterinary Anaesthetists, March 2012, Davos. Veterinary Anaesthesia & Analgesia 40, A19-20. doi:10.1111/j.1467-2995.2012.12001a.x

Ambros B & Duke-Novakovski T (2012) Antinociceptive effects of low dose ketamine infusions in conscious cats. Presented to the Association of Veterinary Anaesthetists, March 2012, Davos. *Veterinary Anaesthesia & Analgesia* 40, A20. doi:10.1111/j.1467-2995.2012.12001a.x

Musk GC, Murdoch FR, Tuke SJ, Kemp MW, Dixon MJ, Taylor PM (2012) Thermal and mechanical nociceptive threshold testing in pregnant sheep. Presented to the Association of Veterinary Anaesthetists, March 2012, Davos. *Veterinary Anaesthesia & Analgesia* 40, A24

Nalon E, Maes D, Devleeschauwer B, Millet S, Van Riet M, Janssens G, Tuytens F (2012) Assessment of mechanical nociception thresholds in lame versus non-lame sows with two methods. Proceedings of the ESPHM Congress, Bruges, April 2012.

poster Guillot M, Rialland P, Taylor P, Dyson MJ, Lecorre-Laliberté D, Troncy E (2012) Protocol development of temporal summation in cats to highlight the central component of the osteoarthritis-associated chronic pain. Presented at the 14th World Congress on Pain, Non- Human Species-Special Interest Group, Milan. August 2012. (Proceedings page 4)

poster Dixon MJ, Taylor PM (2012) The relationship between probe tip diameter and mechanical nociceptive threshold. Presented at the 14th World Congress on Pain, Non- Human Species-Special Interest Group, Milan. August 2012. (Proceedings page 3)

poster Taylor PM, Dixon MJ (2012) A review of mechanical nociceptive threshold data in eight mammalian species. Presented at the 14th World Congress on Pain, Non- Human Species-Special Interest Group, Milan. August 2012. (Proceedings page 12)

Herbert GL, S. A. Robertson SA, Murrell JC (2012) Changes in the facial expression of cats during nociceptive threshold testing. Proceedings of the WCVA, Capetown, September 2012

poster Taylor PM, Dixon MD, Holmes F, Davletov B (2012) Comparison of mechanical threshold testing in mice using von Frey filaments and the MouseMet electronic system. Proceedings of the NC3R conference, London, October 2012

2013

Hunt J, Murrell J (2013) Comparison of pre-operative buprenorphine and methadone for peri-operative analgesia in dogs undergoing orthopaedic surgery. Presented to the Association of Veterinary Anaesthetists, March 2013, London. (Proceedings page 77)

Bortolami E, C Murrell JC, S Slingsby LS (2013) Methadone in combination with acepromazine as premedication prior to neutering in the cat *Veterinary Anaesthesia and Analgesia* 40, 181-193. doi:10.1111/j.1467-2995.2012.00736.x

Steagall PVM, Pelligand L, Giordano T, Auberge C, Sear JW, Luna SPL, Taylor PM (2013) Pharmacokinetic and pharmacodynamic modelling of intravenous, intramuscular and subcutaneous buprenorphine in conscious cats *Veterinary Anaesthesia and Analgesia* 40, 83-95. doi:10.1111/j.1467-2995.2012.00779.x

McGowan KT, Elfenbein JR, Robertson SA and Sanchez LC (2013) Effect of butorphanol on thermal nociceptive threshold in healthy pony foals. *Equine Veterinary Journal* 45, 503-506. doi: 10.1111/j.2042-3306.2012.00673.x

Poller C, Hopster K, Rohn K, Kastner SBR (2013) Evaluation of contact heat thermal threshold testing for standardized assessment of cutaneous nociception in horses - comparison of different locations and environmental conditions. *BMC Veterinary Research* 9, 4. doi: 10.1186/1746-6148-9-4

Poller C, Hopster K, Rohn K, Kastner SBR (2013) Nociceptive thermal threshold testing in horses - effect of neuroleptic sedation and neuroleptanalgesia at different stimulation sites. *BMC Veterinary Research* 9, 135 doi: 10.1186/1746-6148-9-135

Nalon E, Maes D, Piepers S, van Riet MM, Janssens GP, Millet S, Tuytens FA (2013) Mechanical nociception thresholds in lame sows: evidence of hyperalgesia as measured by two different methods. *The Veterinary Journal* 198, 386-390. doi: 10.1016/j.tvjl.2013.08.016

Ambros B, Duke T (2013) Effect of low dose rate ketamine infusions on thermal and mechanical thresholds in conscious cats. *Veterinary Anaesthesia & Analgesia* 40, 76-82 doi:10.1111/vaa.12057

Hunt JR, Grint NJ, Taylor PM, Murrell JC (2013) Sedative and analgesic effects of buprenorphine, combined with either acepromazine or dexmedetomidine, for premedication prior to elective surgery in cats and dogs. *Veterinary Anaesthesia & Analgesia* 40, 297-307. doi: 10.1111/vaa.12003

poster Thomas A, et al, (2013) Validation of a novel electronic von Frey system for use in rodents: MouseMet and RatMet. *Proceedings of the Laboratory Animal Science Association*, November 2013, Cambridge

Deuis JR, Zimmermann K, Romanovsky AA, Possani LD, Cabot PJ, Lewis RJ, Vetter I (2013) An animal model of oxaliplatin-induced cold allodynia reveals a crucial role for Nav1.6 in peripheral pain pathways. *Pain* 154:1749-57 doi: 10.1016/j.pain.2013.05.032

Hunt JR, Attenburrow PM, Slingsby LS et al. (2013) Comparison of premedication with buprenorphine or methadone with meloxicam for postoperative analgesia in dogs undergoing orthopaedic surgery. *J Small Anim Pract* 54, 418-424

Guard S, Gurney MA, Cripps PJ, May C (2013) Investigating operator variability using a novel mechanical threshold device (ProD Plus) in dogs undergoing orthopaedic surgery. Presented to the BVOA April 2013, Birmingham. (Proceedings page)

2014

Pypendop BH, Ilkiw JE (2014) Relationship between plasma dexmedetomidine concentration and sedation score and thermal threshold in cats. *Am J Vet Res* 75, 446-452

Donselmann im Sande P, Hopster K, Rohn K & Kastner SBR (2014) Cutaneous thermal nociception after morphine, butorphanol and levomethadone in adult horses. Presented to the Association of Veterinary Anaesthetists, October 2013, Moscow. *Veterinary Anaesthesia & Analgesia* 41, A27 doi:10.1111/vaa.12114a

poster Thomas A, Flecknell P, Roughan J (2014) Validation of the RatMet electronic von Frey for measurement of mechanical nociceptive thresholds in rats. Presented to the Association of Veterinary Anaesthetists, October 2013, Moscow. *Veterinary Anaesthesia & Analgesia* 41, A38 doi:10.1111/vaa.12114a

Spitmann N, Schutter AF, Tunsmeier J & Kastner SBR (2014) Antinociceptive effects of metamizole and levomethadone alone and in combination in awake and anaesthetized beagle dogs. Presented to the Association of Veterinary Anaesthetists, April 2014, Nottingham. *Veterinary Anaesthesia & Analgesia* 41, A48

poster Dixon MJ, Roughan NJV, Chamessian AG, Taylor PM (2014) Mechanical nociceptive threshold testing in mice: evaluation of the errors incurred using the up-down method to analyse von Frey filament data. Presented to the Association of Veterinary Anaesthetists, April 2014, Nottingham. *Veterinary Anaesthesia & Analgesia* 41, A63

Hunt JR, Slingsby LS, Murrell JC (2014) The effects of an intravenous bolus of dexmedetomidine following extubation in a mixed population of dogs undergoing general anaesthesia and surgery *The Veterinary Journal* 200, 133-139. doi: 10.1016/j.tvjl.2014.01.015

Polson S, Taylor PM, Yates D (2014) Effects of age and reproductive status on postoperative pain after routine ovariohysterectomy in cats, *Journal of Feline Medicine and Surgery* 16, 170-176. doi: 10.1177/1098612X13503651

Porters N, Bosmans T, Debille M, de Rooster H, Duchateau L, Polis I (2014) Sedative and antinociceptive effects of dexmedetomidine and buprenorphine after oral transmucosal or intramuscular administration in cats. *Veterinary Anaesthesia & Analgesia* 41: 90-96 doi: 10.1111/vaa.12076

Musk GC, Murdoch FR, Tuke J, Kemp MW, Dixon MJ, Taylor PM (2014) Thermal and Mechanical nociceptive threshold testing in pregnant sheep, *Veterinary Anaesthesia & Analgesia*. 41, 305-311. doi: 10.1111/vaa.12103

Grint NJ, Beths T, Yvorchuk K, Taylor PM, Dixon M, Whay HR, Murrell JC (2014) The influence of various confounding factors on mechanical nociceptive thresholds in the donkey, *Veterinary Anaesthesia & Analgesia* 41, 421-429 doi: 10.1111/vaa.12132

Guillot M, Taylor PM, Rialland P, Klinck MP, Moreau MM, Martel-Pelletier J, Pelletier JP, Troncy E (2014) Evoked temporal summation in cats to highlight central sensitization related to osteoarthritis-associated chronic pain; a preliminary study. *PLoS ONE* 9(5):e97347. doi: 10.1371/journal.pone.0097347

^{poster} Taylor PM et al, (2014) Dose range-finding studies of high dose formulations of buprenorphine in cats, Proceedings of the Society of Veterinary Hospital Pharmacists Annual Meeting, Madison, WI, June 2014

Hedges AR, Pypendop BH, Shilo-Benjamini Y, Stanley SD, Ilkiw JE (2014) Pharmacokinetics of buprenorphine following intravenous and buccal administration in cats, and effect on thermal threshold. *Journal of Veterinary Pharmacology and Therapeutics* 37, 252-259. doi: 10.1111/jvp.12084

Porters et al, (2014) Prepubertal gonadectomy in cats: different injectable anaesthetic combinations and comparison with gonadectomy at traditional age. *Journal of Feline Medicine and Surgery* 17: 458-67. doi:10.1177/1098612X14546919

Ambros B, Alcorn J, Duke-Novakowski T, Livingston A, Dowling PM (2014) Pharmacokinetics and pharmacodynamics of a constant rate infusion of fentanyl (5 µg/kg/h) in awake cats. *American Journal of Veterinary Research* 75, 716-721. doi: 10.2460/ajvr.75.8.716

**Luna SP, Lopes C, Rosa AC, Oliveira FA, Crosignani N, Taylor PM, Pantoja JC. (2014) Validation of mechanical, electrical and thermal nociceptive stimulation methods in horses. *Equine Veterinary Journal* 47, 609-614 doi: 10.1111/evj.12332

Deuis JR, Lim YL, de Sousa R, Silmara L, Alewood RJ, Cabot PJ, Vetter I (2014) Analgesic effects of clinically used compounds in novel mouse models of polyneuropathy induced by oxaliplatin and cisplatin. *Neuro-Oncology Epub* 2014 April 8 doi:10.1093/neuro/nou048

2015

Couture E, Steagall PV, Monteiro-Steagall BP, Aimen J & Troncy E (2015) Validation of a thermal testing model for evaluation of antinociception in bearded dragons (*Pogona vitticeps*). Presented to the Association of Veterinary Anaesthetists, September 2014, Vienna. *Veterinary Anaesthesia & Analgesia* 42, A2

Monteiro BP, Klinck MP, Moreau M, Guillot M, Steagall PVM, Pelletier JP, Martel-Pelletier J, Gauvin D, Troncy E (2015) Analgesic efficacy of tramadol administered orally for 2 weeks in cats with naturally occurring osteoarthritis. Presented to the Association of Veterinary Anaesthetists, September 2014, Vienna. *Veterinary Anaesthesia & Analgesia* 42, A26

Monteiro BP, Klinck MP, Moreau M, Guillot M, Steagall PVM, Pelletier JP, Martel-Pelletier J, Gauvin D, Troncy E (2015) Analgesic efficacy of meloxicam as a transmucosal oral spray formulation, alone or in combination with tramadol, in cats with naturally occurring osteoarthritis. Presented to the Association of Veterinary Anaesthetists, September 2014, Vienna. *Veterinary Anaesthesia & Analgesia* 42, A27

Steagall PV, Monteiro-Steagall B, Lavoie AM & Troncy EA (2015) preliminary investigation of the thermal antinociceptive effects of codeine in cats. Presented to the Association of Veterinary Anaesthetists, September 2014, Vienna. *Veterinary Anaesthesia & Analgesia* 42, A27

Pypendop BH, Shilo-Benjamini Y & Ilkiw JE (2015) Effect of buccal administration of hydromorphone, methadone, morphine, or oxymorphone on the thermal threshold in cats. Presented to the Association of Veterinary Anaesthetists, September 2014, Vienna. *Veterinary Anaesthesia & Analgesia* 42, A28

Sanchis-Mora S, Volk HA, Abeyesinghe S, Pelligand L (2015) Reliability and repeatability of handheld mechanical and thermal threshold devices in different body areas of healthy dogs. Presented to the Association of Veterinary Anaesthetists, September 2014, Vienna. *Veterinary Anaesthesia & Analgesia* 42, A33

Ambros B (2015) Effect of pretreatment with hydromorphone or buprenorphine on thermal antinociception induced by fentanyl in awake cats. *Journal of Feline Medicine and Surgery* 18, 818-825 doi:10.1177/1098612X15595835

Deuis JR, Whately E, Brust A, Inserra MC, Asvadi NH, Lewis RJ, Alewood PF, Cabot PJ, Vetter I (2015) Activation of κ Opioid Receptors in Cutaneous Nerve Endings by Conorphin-1, a Novel Subtype-Selective Conopeptide, Does Not Mediate Peripheral Analgesia. *ACS Chemical Neuroscience*. Epub Aug 12 doi:10.1021/acscchemneuro.5b00113

Grint NJ, Whay HR, Beths T, Yvorchuk K, Murrell JC (2015) Challenges of thermal nociceptive threshold testing in the donkey. *Veterinary Anaesthesia & Analgesia* 42, 205-214. doi: 10.1111/vaa.12182

Niyom S, Mama KR, Gustafson DL et al. (2015) Single- and multiple dose pharmacokinetics and multiple dose pharmacodynamics of oral ABT-116 (a TRPV1 antagonist) in dogs. *Journal of veterinary pharmacology and therapeutics* 38, 336-343

Doodnaught GM, Monteiro B, Benito J, Cozzi E, Steagall P (2015) Thermal antinociception after subcutaneous, buccal or intravenous administration of a high-concentration formulation of buprenorphine in awake cats. Presented at the 12th World Congress of Veterinary Anaesthesia, Kyoto, September 2015. (Proceedings page A2)

poster Schuster CJ, Pang DSJ (2015) Assessment of a novel mechanical sensory threshold testing device. Presented at the 66th meeting of the American Association of Laboratory Animal Scientists, Phoenix, November 2015. (Proceedings page 71-72)

Schutter AF, Tünsmeier J, Kastner SBR (2015), Influence of metamizole on 1) minimal alveolar concentration of sevoflurane in dogs and 2) on thermal and mechanical nociception in conscious dogs. *Veterinary Anaesthesia & Analgesia* Epub Early View Jul 31. doi: 10.1111/vaa.12289

Ahrendt LP, Labouriau R, Malmkvist J et al. (2015) Development of a standard test to assess negative reinforcement learning in horses. *Applied Animal Behaviour Science* 169, 38-42.

Harris LK, Murrell JC, van Klink EG et al. (2015) Influence of experimental protocol on response rate and repeatability of mechanical threshold testing in dogs. *Vet J* 204, 82-87.

2016

Deuis JR, Vetter I (2016) The thermal probe test: A novel behavioural assay to quantify thermal paw withdrawal thresholds in mice. *Temperature* 3, 1-9

Lopes C et al (2016) Antinociceptive effects of methadone combined with detomidine or acepromazine in horses. *Equine Veterinary Journal* 48, 613-618 doi: 10.1111/evj.12483

Slingsby L et al (2016) Effect of intramuscular methadone on pharmacokinetic data and thermal and mechanical nociceptive thresholds in the cat. *Journal of Feline Medicine and Surgery* 18, 875-881 doi: 10.1177/1098612X15605164

Taylor PM, Luangdilok CH, Sear JW (2016) Pharmacokinetic and pharmacodynamic evaluation of high doses of buprenorphine delivered via high-concentration formulations in cats. *Journal of Feline Medicine and Surgery* 18, 290-302 doi:10.1177/1098612X15581206

**Dixon MJ, Taylor PM, Slingsby LC Murrell JC (2016) Refinement of a thermal probe to prevent burns. *Laboratory Animals* 50, 54-62 doi:10.1177/0023677215577313

Taylor PM, Crosignani N, Dixon MJ, Lopes C, Rosa AC, Luna SPL & Puoli Filho JNP (2016) Mechanical nociceptive thresholds using four probe configurations in horses. *Veterinary Anaesthesia & Analgesia* 43, 99-108 doi: 10.1111/vaa.12274

Nalon E, Maes D, Piepers S, Taylor PM, van Riet MM, Janssens GP, Millet S, Tuytens FA (2016) Factors affecting mechanical nociceptive thresholds in healthy sows. *Veterinary Anaesthesia & Analgesia* 43: 343-355. doi:10.1111/vaa.12313

Pypendop BH, Shilo-Benjamini Y, Ilkiw JE (2016) Effect of morphine, methadone, hydromorphone or oxymorphone on the thermal threshold, following intravenous or buccal administration to cats. *Vet Anaesth Analg* 43, 635-642

Monteiro BP, Klinck MP, Moreau M et al. (2016) Analgesic efficacy of an oral transmucosal spray formulation of meloxicam alone or in combination with tramadol in cats with naturally occurring osteoarthritis. *Vet Anaesth Analg* 43, 643-651

Musk GC, Laurence M, Collins T et al. (2016) Mechanical nociceptive threshold testing in *Bos indicus* bull calves. *Animal Production Science*, On Line Early. <http://dx.doi.org/10.1071/AN15441>

Gozalo-Marcilla M, Luna SPL, N Crosignani N, Puoli Filho JNP, Queiroz EMC, Possebon FS, L Pelligand L, PM Taylor PM (2016) Antinociceptive properties of different combinations of detomidine and methadone in

standing horses. Presented at the Association of Veterinary Anaesthetists Conference, Lyon, April 2016. (Proceedings page 49)

GM Doodnaught GM, MC Evangelista MC, Steagall PVM (2016) Thermal antinociception following oral administration of two doses of tapentadol in awake cats. Presented at the Association of Veterinary Anaesthetists Conference, Lyon, April 2016. (Proceedings page 52)

Carrozzo MV, Alcorn J, Ambros B (2016) Pharmacokinetics and pharmacodynamics of two different fentanyl constant rate infusions in awake cats. Presented at the Association of Veterinary Anaesthetists Conference, Lyon, April 2016. (Proceedings page 64)

poster Taylor PM, Dixon MJ, Deuis J, Vetter I (2016) Refinements in mechanical and thermal nociceptive threshold testing in mice. Presented to the Society for Experimental Biology Annual Conference, June 2016, London (REF15, Proceedings page 28-29) (poster)

Söbbeler FJ, Kästner SBR (2016) Anti-nociceptive effects of trans-dermal lidocaine or lidocaine with prilocaïne or tetracaine in horses. Presented at the Association of Veterinary Anaesthetists Conference, Prague, September 2016. (Proceedings page 73)

Taylor PM (2016) Refinements in mechanical and thermal nociceptive threshold testing in mice. Presented to the Laboratory Animal Science Association, November 2016, London (Proceedings page 21-22)

Yin, K., Deuis, J. R., Lewis, R. J., & Vetter, I. (2016). Transcriptomic and behavioural characterisation of a mouse model of burn pain identify the cholecystokinin 2 receptor as an analgesic target. *Molecular Pain*, 12, 1744806916665366. <http://doi.org/10.1177/1744806916665366>

Vetter I (2016) The thermal probe test: A novel behavioural assay to quantify thermal paw withdrawal thresholds in mice. *Temperature* 3, 1-9.

Deuis RJ et al. (2016) Transcriptomic and behavioural characterisation of a mouse model of burn pain identify the cholecystokinin 2 receptor as an analgesic target. *Molecular Pain* 12, 1744806916665366.

2017

Thomas AA, Detilleux J, Sandersen CF, Flecknell PA (2017) Minimally invasive technique for intrathecal administration of morphine in rats: practicality and antinociceptive properties. *Laboratory Animals*. 51 479-489.

Donselmann Im Sande P, Hopster K, Kastner S (2017) [Effects of morphine, butorphanol and levomethadone in different doses on thermal nociceptive thresholds in horses]. *Tierarztl Prax Ausg G Grosstiere Nutztiere* 45, 98-106.

Gozalo-Marcilla M, de Oliveira AR, Fonseca MW et al. (2019) Sedative and antinociceptive effects of different detomidine constant rate infusions, with or without methadone in standing horses. *Equine Vet J* 51, 530-536.

Gozalo-Marcilla M, Luna SP, Crosignani N et al. (2017) Sedative and antinociceptive effects of different combinations of detomidine and methadone in standing horses. *Vet Anaesth Analg* 44, 1116-1127.

Gozalo-Marcilla M, Luna SPL, Moreira da Silva R et al. (2019) Characterisation of the in vivo interactions between detomidine and methadone in horses: Pharmacokinetic and pharmacodynamic modelling. *Equine Vet J* 51, 517-529.

Almubarak A (2017) Thermal and mechanical nociceptive threshold testing in one humped camels (*Camelus dromedarius*). *Journal of Veterinary Science and Technology* 8, 58.

Monteiro BP, Klinck MP, Moreau M et al. (2017) Analgesic efficacy of tramadol in cats with naturally occurring osteoarthritis. *PloS one* 12, e0175565.

Crosignani N, Luna SP, Dalla Costa T et al. (2017) Pharmacokinetics and pharmacodynamics of the injectable formulation of methadone hydrochloride and methadone in lipid nanocarriers administered orally to horses. *J Vet Pharmacol Ther*.

Deuis JR, Dvorakova LS, Vetter I (2017) Methods Used to Evaluate Pain Behaviors in Rodents. *Front Mol Neurosci* 10, 284.

Doodnaught GM, Monteiro BP, Benito J et al. (2017) Pharmacokinetic and pharmacodynamic modelling after subcutaneous, intravenous and buccal administration of a high-concentration formulation of buprenorphine in conscious cats. *PloS one* 12, e0176443.

Sanchis-Mora S, Chang YM, Abeyesinghe S et al. (2017) Development and initial validation of a sensory threshold examination protocol (STEP) for phenotyping canine pain syndromes. *Vet Anaesth Analg* 44, 600-614.

2018

Harris LK, Whay HR, Murrell JC (2018) An investigation of mechanical nociceptive thresholds in dogs with hind limb joint pain compared to healthy control dogs. *Vet J* 234, 85-90.

Chauhan P, Sheng WS, Hu S et al. (2018) Nitrosative damage during retrovirus infection-induced neuropathic pain. *J Neuroinflammation* 15, 66.

Lofgren J, Miller A, Chui Shan Lee C et al. (2018) Analgesics promote welfare and sustain tumour growth in orthotopic 4T1 and B16 mouse cancer models. *Lab Anim* 52, 351-364.

Morgan M, Deuis JR, Woodruff TM et al. (2018) Role of complement anaphylatoxin receptors in a mouse model of acute burn-induced pain. *Mol Immunol* 94, 68-74.

White K et al (2018) Mechanical nociceptive threshold (MNT) testing in rats: effects of probe tip configuration and cage floor characteristics for electronic von Frey (EvF) compared to traditional filaments (Fil). *Proceedings of the AVA, Grenada March 2018*, 73.

2019

Israel MR, Tanaka BS, Castro J et al. (2019) NaV 1.6 regulates excitability of mechanosensitive sensory neurons. *The Journal of physiology* 597, 3751-3768.

Simon BT, Scallan EM, Monteiro BP et al. (2019) The effects of aging on hydromorphone-induced thermal antinociception in healthy female cats. *Pain Rep* 4, e722.

Sheng WS, Chauhan P, Hu S et al. (2019) Antiallodynic Effects of Cannabinoid Receptor 2 (CB2R) Agonists on Retrovirus Infection-Induced Neuropathic Pain. *Pain Res Manag* 2019, 1260353.

Echelmeyer J, Taylor PM, Hopster K et al. (2019) Effect of fentanyl on thermal and mechanical nociceptive thresholds in horses and estimation of anti-nociceptive plasma concentration. *Vet J* 249, 82-88.

Mueller A et al. (2019) Antiallodynic effects of the selective NaV1.7 inhibitor Pn3a in a mouse model of acute postsurgical pain: evidence for analgesic synergy with opioids and baclofen. *Pain* 160, 1766-1780.

Visser EM, Menke ES, van Loon JP (2019) Pressure algometry for assessment of abdominal wall sensitivity in horses after ventral midline coeliotomy. *Vet Anaesth Analg* 46, 820-828.

Sanchis-Mora S, Chang YM, Abeyesinghe SM et al. (2019) Pregabalin for the treatment of syringomyelia-associated neuropathic pain in dogs: A randomised, placebo-controlled, double-masked clinical trial. *Vet J* 250, 55-62.

2020

Lopez DJ, Hayes GM, Fefer G et al. (2020) Effect of subcutaneous closure technique on incisional complications and postoperative pain in cats undergoing midline celiotomy: A randomized, blinded, controlled trial. *Vet Surg* 49, 321-328.

2021

Schuster CJ, Pang DS (2021) Assessment of an Electronic Mechanical Sensory Threshold Testing Device (RatMet) in Wistar rats (*Rattus norvegicus*). *Journal of the American Association for Laboratory Animal Science : JAALAS* 60, 77-84.

Amon T, Kastner SBR, Kietzmann M et al. (2021) Plasma levels of a methadone constant rate infusion and their corresponding effects on thermal and mechanical nociceptive thresholds in dogs. *BMC veterinary research* 17, 35.

Starobova H, Monteleone M, Adolphe C et al. (2021) Vincristine-induced peripheral neuropathy is driven by canonical NLRP3 activation and IL-1 β release. *The Journal of experimental medicine* 218.

Piqueres MG, Jackson PF (2021) Evaluation of Kinesio taping applied to the equine thoracic spine. *Journal of Veterinary Medical Research* 28, 1-11.

2022

Hopster K, Watkins AR, Hurcombe SD (2022) Comparison of cervical epidural morphine with intravenous morphine administration on antinociception in adult horses using thermal threshold testing. *Vet Anaesth Analg* 49, 417-422.

2023

Maney JK, Dzikiti BT, Escobar A et al. (2022) Morphine in donkeys: Antinociceptive effect and preliminary pharmacokinetics. *Equine Vet J.* 55:1086–1093.

2024

Otis C, Cristofanilli KA, Frezier M et al. (2024) Predictive and concurrent validity of pain sensitivity phenotype, neuropeptidomics and neuroepigenetics in the MI-RAT osteoarthritic surgical model in rats. *Front Cell Dev Biol* 12, 1400650.

2025

Meijs S, Andreis FR, Janjua TAM et al. (2025) High-frequency electrical stimulation increases cortical excitability and mechanical sensitivity in a chronic large animal model. *Pain* 166, e18-e26.